



<div>(A-II)</div> Los Robles Regional Medical Center #2 Heliport		
Lat. 34° 12' 24" N Long. 118° 53' 00" W (NAD 83)		
LOCATION	FACILITY	HELIPORT
215 West Janss Road <b>City:</b> Thousand Oaks, 91360 <b>County:</b> Ventura <b>Loc ID:</b> CL82 <b>FAA Site NR:</b> 02352.34*H	<b>Trauma:</b> A-II <b>PH:</b> (805) 497-2727 <b>Notes:</b>	<b>TLOF:</b> 50' Dia <b>FATO:</b> 80' Dia <b>Max Weight:</b> 15K <b>Lighting:</b> Perimeter <b>Elev:</b> Elevated Rooftop, 24' AGL <b>MSL:</b> 795' <b>Wind Sock:</b> Yes, lighted <b>Design Helicopter:</b> Sikorsky S-76 <b>Max Rotor:</b> 44' Dia  <b>Notes:</b> <ol style="list-style-type: none"> <li>1. HP permitted under earlier design Stds; TLOF not sized for Rotor Dia of design Helo. HP limited to 44' Rotor Dia by FATO size.</li> <li>2. Northeastern FAR Part 77 Transitional Surface penetrated by elevator penthouse, which is lighted with a red obstruction light.</li> </ol>
<div>  </div>		
<div>  <div>Rev: 1/17/2012</div> </div>		
This document is for informational purposes only and is not intended for navigation		
User Notes:		